SIAP Range Hex Datasheet



www.landmarkstreetfurniture.com

Hex Datasheet

The Siap modular bench and planter range is focused around the efficient use of space both horizontally and vertically, using a modular and attractive toolkit. The modular components used are fabricated from a mixture of Aluminium sheeting and mild steel with FSC Certified Timber panels. All components can be used as free-standing elements or joined together to create a seating, planter, or mixed system. The advantage of the Siap modular bench range is that they can be stacked to create vertical units, whether for planters or tiered seating.

The Hex collection features a geometric shape with attractive straight wood panel tops.



Hex Datasheet

Bench / Planter made from sheet metal structure and solid wood seat

Hex Bench / Planter: 1015 x 880 x 450, 16kg (without timber).

Material:

Aluminium sheet with powder coated finish. Available in any RAL colour - refer to chart below. Polyester based paint, thicker than 80 microns. Resistant to UV radiation and other climate influences.

Timber:

Wooden seat element of this product can be either Thermowood, Iroko or Sapele. With the option for these to be PEFC / FSC certified. All timber supplied planed all round with 4mm radius to all edges. A2 Stainless steel screws.

Installation:

For the products installation, there are holes in the base for anchoring embedment bolts into concrete foundations laid by others. Insert 12mm threaded bolts into holes drilled into the concrete slabs and fill with epoxy resin or fast motor.

Maintenance:

Metal - Rinse thoroughly once every six months with a salt free wash and wax solution and polish with a soft clean cloth.

The powder coated finish should be inspected every 6 months for damage. Any areas where the surface finish has been compromised or removed should be cleaned of debris, and re-covered using touch up paint. Colour matched touch up paint can be purchased form Landmark or a local paint supplier. (colour ref in spec)

Timber - Manufactured entirely from carefully selected and graded hardwood. Sourced entirely from commercially managed, recognised and sustainable resources with a natural un-treated finish, to remove stains sand lightly with an appropriate grade sandpaper.

Check fixing connections every six months to ensure they are secure and tighten as required.

The wooden seat can be replaced if necessary.



Hex Datasheet



