

## Horizontal Timber Planters Datasheet



## Horizontal Timber Planters

The Horizontal Timber Planters belongs to a collection of five different height modules. These vertical timber planters can be used in conjunction with other models in the alternate series to create tiered and layered arrangements adding the impression of height to a space while integrating plants and shrubbery of varying size. With five different sizes of each planter available there is something to fill the demands of every space while creating bespoke arrangements.

The 435, 580, 725, 870 and 1015 series can also be combined with a bench element to integrate seating into the planter arrangements, providing a biophilic touchpoint for users.



# Horizontal Timber Planters

## Horizontal Timber Planter series

Optional heights available: 435mm, 580mm, 725mm, 870mm & 1015mm.

**Internal Framework Material:**  
Manufactured from galvanised mild steel to BS EN ISO 1461:1999

**Timber:**  
Wooden seat element of this product can be either Treated Softwood Thermowood, Iroko, Sapele or Accoya. With the option for these to be PEFC / FSC certified. All timber supplied planed all round with 4mm radius to all edges. A2 Stainless steel screws.

**Installation:**  
For the products installation, product is designed to be self weight surface mounted. There is an option to drill holes in the base for anchoring embedment bolts into concrete foundations laid by others. Insert 12mm threaded bolts into holes drilled into the concrete slabs and fill with epoxy resin or fast motor.

## Maintenance:

**Metal -** Manufactured from galvanised mild steel to BS EN ISO 1461:1999 - rinse thoroughly once every six months with a salt free wash and wax solution and polish with a soft clean cloth.

**Timber -** Manufactured entirely from carefully selected and graded hardwood / softwood. Sourced entirely from commercially managed, recognised and sustainable resources with a natural un-treated finish, to remove stains sand lightly with an appropriate grade sandpaper.

Check fixing connections every six months to ensure they are secure and tighten as required.

The wooden slats can be replaced if necessary.

## Standard Timber



THERMOWOOD



IROKO



SAPELE




TREATED  
SOFTWOOD





ACCOYA

## Metal Framework



GALVANISED STEEL

# Horizontal Timber Planters





Horizontal Timber Planters

 Landmark  
STREET FURNITURE

[www.landmarkstreetfurniture.com](http://www.landmarkstreetfurniture.com)