



RUDOLPH®

 **Landmark**
STREET FURNITURE

WWW.LANDMARKSTREETFURNITURE.COM

Rudolph

The Rudolph collection, designed by Eva Rudolph, explores the boundaries between furniture, landscape, and sculpture through forms inspired by stones shaped by water erosion. Its organic and familiar language establishes an immediate relationship with both the body and the surrounding space. The collection consists of three pieces with closely related yet distinct forms, conceived as a family of organic volumes. Designed for open interaction, the pieces encourage multiple uses and seating positions, existing somewhere between object and topography. They are manufactured in cast concrete without surface acid-etching, featuring a smooth finish that reinforces their sculptural character while providing a comfortable tactile experience. They are freestanding elements with an orthogonal base that can either be left unanchored or secured to the pavement.



Rudolph

Mass-coloured cast concrete landscape elements, without surface acid-etching, featuring a smooth satin finish and a water-repellent treatment.

Rudolph 1: 240 x 142 x 82 cm, 3,850 kg.

Rudolph 2: 160 x 162 x 60 cm, 2,000 kg.

Rudolph 3: 210 x 210 x 70 cm, 3,850 kg.

Material:

High-quality concrete. Cement: CEM I 52.5.

Aggregates: marble and granite with selected grading. Water: potable water free from impurities, silt, or suspended organic matter that could affect the quality of the concrete. Manufactured with CE certification and compliant with UNE-EN 12620 and ISO 9001:2015.

Concrete finish:

Without surface acid-etching, treated with a water-repellent coating and anti-graffiti protection. Colours available according to the colour chart.

Installation:

Installation is carried out by placing the piece on the ground using long polyester lifting slings. A suitable foundation must be prepared according

to the project requirements. Each piece ends in an orthogonal base that allows it to be embedded into the pavement if required. Threaded inserts located in the base allow M12 anchor bolts to be screwed in after being inserted into holes drilled in the pavement and filled with epoxy resin, rapid-setting cement or similar. Anchor bolts are not supplied unless specified in the order. Handling must always be carried out using long polyester lifting slings.

Maintenance:

No maintenance is required. The water-repellent and anti-graffiti treatment also prevents dirt from adhering to the surface. For cleaning and graffiti removal, hot pressurised water may be used. The concrete is compatible with any standard industrial cleaning equipment or spray systems.

Packaging:

Rudolph 1: one unit per pallet, 300 x 200 x 97 cm, 3,850 kg.

Rudolph 2: one unit per pallet, 200 x 200 x 75 cm, 2,000 kg.

Rudolph 3: one unit per pallet, 240 x 240 x 85 cm, 3,850 kg.



Rudolph

Standard




Standards :
UNE EN ISO 16064.



Handling:


Handle using long polyester lifting slings. The base incorporates threaded inserts for fixing with M12 anchor bolts inserted into drilled holes in the pavement and secured with epoxy resin, rapid-setting cement or similar.

Front View




Rudolph


Rudolph 1
3.850 kg



Rudolph 2
2.000 kg



Rudolph 3
3.850 kg



Rudolph





Landmark
STREET FURNITURE

WWW.LANDMARKSTREETFURNITURE.COM